

TUBERIA CPVC C-80

CARACTERISTICAS

- Tubería: A 6mts lisa en Sistema Inglés
- Conexión: Cementar y Roscar
- Usos: Comercial e Industrial
- Color: Gris Claro



TEE CEMENTAR

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
6"
8"
10"
12"



TEE ROSCAR

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"



CODO 90° CEMENTAR

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
6"
8"
10"
12"

SECTOR INDUSTRIAL

CPVC CEDULA 80



CODO 90 ° ROSCAR

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"



CODO 45 ° CEMENTAR

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
6"
8"
10"
12"



CODO 45 ° ROSCAR

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"



COPLE CEMENTAR

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
6"
8"
10"
12"



COPLE ROSCAR

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"



ADAPTADOR HEMBRA Rosc. Int.

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"

SECTOR INDUSTRIAL

CPVC CEDULA 80



RED. BUSHING Cem. / Cem.

Medida
3/4" X 1/2"
1" X 1/2"
1" X 3/4"
1-1/4" X 1/2"
1-1/4" X 3/4"
1-1/4" X 1"
1-1/2" X 1/2"
1-1/2" X 3/4"
1-1/2" X 1"
1-1/2" X 1-1/4"
2" X 1/2"
2" X 3/4"
2" X 1"
2" X 1-1/4"
2" X 1-1/2"
2-1/2" X 2"
3" X 2"
3" X 2-1/2"
4" X 2"
4" X 3"
6" X 3"
6" X 4"
8" X 6"
10" X 8"



RED. BUSHING Cem. / Rosc.

Medida
3/4" X 1/2"
1" X 1/2"
1" X 3/4"
1-1/4" X 3/4"
1-1/4" X 1"
1-1/2" X 1/2"
1-1/2" X 3/4"
2" X 3/4"
2" X 1"
2" X 1-1/2"
2-1/2" X 2"
3" X 2"
3" X 2-1/2"
4" X 2"
4" X 3"



RED. BUSHING Rosc. / Rosc.

Medida
3/4" X 1/2"
1" X 1/2"
1" X 3/4"
1-1/4" X 3/4"
1-1/4" X 1"
1-1/2" X 1/2"
1-1/2" X 3/4"
1-1/2" X 1"
1-1/2" X 1-1/4"
2" X 1/2"
2" X 3/4"
2" X 1"
2" X 1-1/4"
2" X 1-1/2"
2-1/2" X 2"
3" X 2"
4" X 2"
4" X 3"

SECTOR INDUSTRIAL

CPVC CEDULA 80



TAPA CEMENTAR

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
6"
8"
10"
12"



TAPA ROSCAR

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"



TAPON MACHO

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"



BRIDA FIJA CEMENTAR

Medida
1/2"
3/4"
1"
1-1/4"



BRIDA FIJA ROSCAR

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"



BRIDA CIEGA

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
2-1/2"
3"
4"
6"
8"
10"
12"

SECTOR INDUSTRIAL

CPVC CEDULA 80



BRIDA MOVIBLE CEMENTAR

Medida
2"
2-1/2"
3"
4"
6"
8"
10"
12"



TUERCA UNION CEMENTAR

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"



TUERCA UNION ROSCAR

Medida
1/2"
3/4"
1"
1-1/4"
1-1/2"
2"
3"
4"

ADAPTADOR PARA TANQUE



TUBERIA CPVC CEDULA 80

Diámetro Nominal (pulg.)	Diámetro Exterior		Diámetro Interior		Espesor de Pared		Presión a 23 °C		Peso Aprox. kg/m
	(pulg.) (O.D.)	(mm)	(pulg.) (I.D.)	(mm)	(pulg.) (T)	(mm)	(psi)	(kg/cm ²)	
1/2"	0.840	21.3	0.528	13.4	0.147	3.7	850	59.5	0.33
3/4"	1.050	26.7	0.724	18.4	0.154	3.9	690	48.3	0.45
1"	1.315	33.4	0.936	23.8	0.179	4.5	630	44.1	0.67
1 1/4"	1.660	42.2	1.255	31.9	0.191	4.9	520	36.4	0.92
1 1/2"	1.900	48.3	1.476	37.5	0.200	5.1	470	32.9	1.12
2"	2.375	60.3	1.913	48.6	0.218	5.5	400	28.0	1.55
2 1/2"	2.875	73.0	2.290	58.2	0.276	7.0	420	29.4	2.36
3"	3.500	88.9	2.864	72.7	0.300	7.6	370	25.9	3.16
4"	4.500	114.3	3.786	96.2	0.337	8.6	320	22.4	4.62
6"	6.625	168.3	5.709	145.0	0.432	11.0	280	19.6	8.82
8"	8.625	219.1	7.565	192.2	0.500	12.7	250	17.5	13.46
10"	10.750	273.1	9.493	241.1	0.593	15.1	230	16.1	19.97
12"	12.750	323.9	11.294	286.9	0.687	17.4	230	16.1	27.45
14"	14.000	355.6	12.413	406.8	0.752	14.3	220	15.4	33.05
16"	16.000	406.4	14.214	361.0	0.843	21.4	220	15.4	42.47